

REMARKS

Applicants have received and carefully reviewed the Final Office Action of the Examiner mailed February 14, 2012. Applicants respectfully traverse (and do not concede) all objections, rejections, and adverse assertions made by the Examiner. With this paper, claims 22 and 35 have been amended. Support for the amendments is found in the specification, claims, and drawings as originally filed. No new matter has been added. Claims 22, 24-28, and 30-37 remain pending, with claims 31-34 and 36 previously withdrawn. Favorable consideration of the above amendments and the following remarks is respectfully requested.

Claim Rejections under 35 U.S.C. § 103

Claims 22, 24-26, 28, and 30 have been rejected under 35 U.S.C. §103(a) as being unpatentable over Matsumoto et al. (U.S. Patent No. 4,610,665) in view of Picha et al. (U.S. Patent No. 5,080,654), and Kranys (U.S. Patent No. 5,207,656). Applicants respectfully traverse the rejection.

Independent claim 22, as amended, recites:

22. (currently amended) A catheter having a vacuum seal, comprising:
an elongate catheter shaft having a proximal end, a distal end, a guidewire lumen defined therethrough, and an inflation lumen defined therethrough;
a balloon disposed adjacent the distal end of the catheter shaft, the balloon being in fluid communication with the inflation lumen;
a port disposed at the proximal end of the catheter shaft, the port having an opening defined therein that is in fluid communication with the inflation lumen and a flanged end; and
a seal member releasably attached to the flanged end and covering the opening;
a vacuum within the inflation lumen, wherein the seal member does not include a preformed opening and is self-sealing such that the seal maintains a vacuum within the inflation lumen.

None of Matsumoto et al., Picha et al. or Kranys, taken alone or in combination, appear to teach or suggest a vacuum within the inflation lumen or a releasable seal member that does not include a preformed opening and is self-sealing such that the seal maintains a vacuum within the inflation lumen.

Matsumoto et al. appear to disclose a medical device including a valve body. The valve body appears to be configured to allow an additional medical device, such as a rod-like member, to pass through the valve body into the medical device. The valve body appears to include two

slits crossing perpendicular to each other. When the additional medical device is not inserted into the medical device, the slits appear to maintain a substantially fluid tight seal. The slits appear to allow the additional medical device to pass through the valve body while still maintaining a fluid tight seal. Once the additional medical device has been removed, the slits appear to close and again provide a substantially fluid tight seal. As acknowledged by the Examiner, Matsumoto et al. do not appear to teach or suggest a seal having a solid cross-section or a releasable seal. Furthermore, Matsumoto et al. do not appear to teach or suggest a vacuum within the inflation lumen. In formulating the rejection, the Examiner appears to rely on Picha et al. as disclosing a releasable seal and Kranys as disclosing a seal member that does not include a preformed opening.

Kranys appears to disclose a partition member that may be aperture free. It appears that the partition member may be formed from a foamed elastomer material having either an open cell or closed cell structure. In formulating the rejection, the Examiner asserts

Kranys additionally discloses the seal may alternatively comprise a solid cross section initially with no pre-formed opening (Fig 3). In this second embodiment, a piercing member passes through the seal (24a) to form a slit that exactly fits the transverse dimensions of the piercing member inserted therethrough (col 4, II 1-7). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the invention of Matsumoto such that the pre-formed slits (17/18) were replaced with a seal member having a self-sealing solid cross-section.

Applicants respectfully disagree. Matsumoto et al. disclose at column 2, lines 20-28:

The present invention has as its object the provision of a medical instrument having a valve body having hollow rod-like members including hollow cylindrical members and/or solid columnar members of widely varied outer diameters inserted therethrough and held therein in a liquid-tight state, capable of immediately forming a proper closed state when the rod-like member or members are withdrawn, and having a simple construction.

Emphasis added. Matsumoto et al. appear to disclose the object of the invention is to allow a number of different members of widely varied outer diameters to be inserted through a valve body and be held within the valve body in a liquid-tight state. Applicants respectfully assert that if one of ordinary skill in the art were to form a slit that exactly fits the dimensions of one particular member of Matsumoto et al., the device would not function as intended. For example, it appears that is one were to first desire a large diameter member to be placed through the valve,

one would be required to make a large slit to accommodate the large diameter member. If one were to desire a smaller diameter member to be placed through the valve, a large slit would already be present. Applicants respectfully assert that the advancement of a small diameter member through a large slit would not appear to maintain a liquid-tight state as required by Matsumoto et al. MPEP 2143.01 V states, "If proposed modification would render the prior art invention being modified unsatisfactory for its intended purpose, then there is no suggestion or motivation to make the proposed modification. In re Gordon, 733 F.2d 900, 221 USPQ 1125 (Fed. Cir. 1984)."

In response to Applicants' previous arguments, the Examiner asserts:

The examiner respectfully disagrees and notes Matsumoto teaches a single slit size for accomodating [sic] both small and large diameters. Thus, it is obvious a large slit size formed by a large object initially inserted in the modified seal, as in Applicant's hypothetical situation, would be capable of holding a smaller diameter object subsequently inserted therethrough in a liquid tight state.

The Applicants respectfully disagree with the Examiner's characterization of Matsumoto et al. It is unclear if the Examiner is asserting Matsumoto et al. teach a single slit or that the slit configuration of Matsumoto is a single size. If the Examiner is asserting Matsumoto et al. disclose a single slit, the Applicants must respectfully disagree. Matsumoto et al. appear to disclose the valve body includes two slits. For example, Matsumoto et al. disclose at column 5, lines 19-28:

As shown in FIGS. 5(A) and 5(C), the valve body 16 is formed therein in a suitable method with a first slit 17 openable to one of the end faces thereof and a second slit 18 openable to the other of the end faces thereof. The first slit 17 and the second slit 18 cross each other at the inside of the valve body 16. The term "cross" means that the slits are combined together alternately, whereby the slits formed from opposite end faces partially coincide with each other at the crossing portion, so that the rod-like members are insertable.

As can be seen, Matsumoto et al. appear to disclose the valve member includes two slits. Matsumoto et al. appear to disclose the two slits in combination form the fluid-tight seal around the catheter. As can be seen in Figure 7 of Matsumoto et al., when a catheter is disposed through the valve, it appears the each single slit does not form a fluid tight seal. Instead, it appears the two slits in cooperation form the fluid tight seal. Thus, as noted above, one were to first desire a large diameter member to be placed through the valve, one would be required to make a large slit

to accommodate the large diameter member. If one were to desire a smaller diameter member to be placed through the valve, a large slit would already be present. Applicants respectfully assert that the advancement of a small diameter member through a large slit would not appear to maintain a liquid-tight state as required by Matsumoto et al.

In formulating the rejection, the Examiner further asserts, “[s]uch a modification would further ensure fluid cannot pass through the seal unintentionally. Furthermore, it has been shown a seal with pre-formed slits and a seal with an initial solid cross section without a pre-formed opening are functional equivalents.” Applicants respectfully disagree. Applicants respectfully assert that a seal with pre-formed slits and a seal with an initially solid cross-section are not functional equivalents in every situation as the Examiner appears to be asserts. Applicants respectfully assert that in at least the scenario set forth above, the two are not functional equivalents.

Moreover, none of Matsumoto et al., Picha et al. or Kranys appear to teach or suggest the seal is “a vacuum within the inflation lumen” as recited in claim 22. In formulating the rejection, the Examiner asserts in reference to Matsumoto et al., “Since the seal is self-sealing to “thereby form a reliable liquid-tight or air-tight state between the catheter 15 and the valve body 16” (col6, ll 4-5) upon withdrawal of a piercing member inserted therethrough, the seal member is capable of maintaining a vacuum with the inflation lumen.” Applicants respectfully assert that none of the cited references, taken alone or in combination, appear to teach or suggest a vacuum within a lumen. Applicants submit that a reference being silent regarding a structure cannot be deemed to positively teach that structure.

Furthermore, while Kranys appears to disclose a partition member that is aperture free, Kranys does not appear to teach or suggest a vacuum or a seal that is capable of maintaining a vacuum. Kranys appears to disclose that due to the cellular nature of the foam, some fluid and/or air may pass through the partition member. For example, at column 2, lines 17-22 Kranys discloses, “An advantage of open cell foams is that they tend to be more compliant than closed cell foams, since the air in the cells can migrate to other cells as a probe passes through the partition member, stretching and expanding the member.” Kranys further discloses at column 2, lines 41-45, “Also, closed cell foams provide an improvement in sealing, in that blood cannot migrate through the microstructure of the closed cell foams since there is no flow path, while with open cell foams, some blood migration might take place this way.” As can be seen, Kranys

appear to disclose that at least with open cell foams, some blood migration through the partition member may be expected. Furthermore, with respect to closed cell foams, it appears that once an aperture has been formed through the partition member, a pathway is created upon the removal of the guidewire or other probe (for example, the closed cells are broken during advancement of the probe). Kranys discloses at column 2, lines 23-24, "In closed cell foams, the air in the cells has no way of escape, without breaking cell walls." Thus, it appears that the partition member of Kranys allows for the passage of air and in some instances fluids. Therefore, Kranys cannot be considered as teaching or suggesting, "the seal member does not include a preformed opening and is self-sealing such that the seal maintains a vacuum within the inflation lumen" as recited in claim 22.

Therefore, for at least these reasons, none of Matsumoto et al., Picha et al., or Kranys, taken alone or in combination, appear to teach or suggest the device as claimed. As such, the teachings of Matsumoto et al., Picha et al. and Kranys are not sufficient to render claim 22 *prima facie* obvious. For at least these reasons, claim 22 is believed to be patentable over Matsumoto et al., Picha et al., and Kranys and withdrawal of the rejection is respectfully requested. For similar reasons and others, claims 24-26, 28, and 30 which depend from claim 22 and include additional distinguishing features, are believed to be patentable over Matsumoto et al., Picha et al., and Kranys.

Claims 35 and 37 have been rejected under 35 U.S.C. §103(a) as being unpatentable over Matsumoto et al. (U.S. Patent No. 4,610,665) in view of Picha et al. (U.S. Patent No. 5,080,654), Kranys (U.S. Patent No. 5,207,656), McClure (U.S. Patent No. 5,507,732), and Andrews et al. ("The Comparison of Commercial Getters"). Applicants respectfully traverse the rejection.

For similar reasons to those set forth above, as well as others, none of Matsumoto et al., Picha et al. or Kranys, taken alone or in combination, appear to teach or suggest "a vacuum within the inflation lumen" or "the seal does not include a preformed opening and is self-sealing such that the seal maintains a vacuum within the inflation lumen" as recited in claim Neither McClure nor Andrews et al. appear to remedy the noted shortcomings of Matsumoto et al., Picha et al. or Kranys. McClure appears to disclose seals including preformed openings which provide a friction fit with another component. McClure does not appear to teach or suggest a seal does not include a preformed opening and is self-sealing to maintain a vacuum as recited in claim 35.

Andrews et al. appears to be directed towards “getters” and does not appear to teach or suggest presently claimed structure.

Therefore, for at least these reasons, none of Matsumoto et al., Picha et al., Kranys, McClure, or Andrews et al., taken alone or in combination, appear to teach or suggest the device as claimed. As such, the teachings of Matsumoto et al., Picha et al., Kranys, McClure, and Andrews et al. are not sufficient to render claim 35 *prima facie* obvious. For at least these reasons, claim 35 is believed to be patentable over Matsumoto et al., Picha et al., Kranys, McClure, and Andrews et al. and withdrawal of the rejection is respectfully requested. For similar reasons and others, claim 37 which depends from claim 35 and includes additional distinguishing features, is believed to be patentable over Matsumoto et al., Picha et al., Kranys, McClure, and Andrews et al.

Conclusion

Reexamination and reconsideration are respectfully requested. It is respectfully submitted that all pending claims are now in condition for allowance. Issuance of a Notice of Allowance in due course is requested. If a telephone conference might be of assistance, please contact the undersigned attorney at (612) 677-9050.

Respectfully submitted,

Yiqun Wang et al.

By their Attorney,

Date: July 12, 2012

/j. scot wickhem/
J. Scot Wickhem, Reg. No. 41,376
SEAGER, TUFTE & WICKHEM, LLC
1221 Nicollet Avenue, Suite 800
Minneapolis, MN 55403-2420
Telephone: (612) 677-9050
Facsimile: (612) 359-9349